



COLLABORA

# WirePlumber 0.5

Propelling PipeWire for the Embedded

**Ashok Sidipotu**  
**Senior Software Engineer**

**Open First**



# Hello!! నమస్తే!! I am Ashok

- WirePlumber and PipeWire since 2021
- Worked for over a decade with qualcomm, mostly writing audio software for their chipsets
- Dad of two small children – learning the art of parenting
- Avid Gardner, amateur farmer, birdwatcher etc– love working in tandem with mother nature
- Based out of Hyderabad, India




## Topics

- Quick Introduction PipeWire
- Quick Introduction WirePlumber
- Wireplumber 0.5: New Configuration System
- Wireplumber 0.5: Event Dispatcher
- WirePlumber 0.5: System Scripts
- WirePlumber 0.5: Miscellaneous things
- WirePlumber 0.5: Status




COLLABORA

# PipeWire – a quick intro



- Next Generation Audio and Video Server
- Supports Pulse Audio and JACK functionality
- Very Low Latency capable
- Known for its exceptional performance
- Very Modular Design
- Graph based processing
- Built In Security
- Rich set of tools and vibrant community

# Block Diagram






COLLABORA

# WirePlumber – a quick intro



- Manages the control path.
- Enumerates all the PipeWire objects
- Creates a few objects like Devices(Monitors), Metadata etc
- Session Management includes many things.
  - Managing Device profiles and Device hardware routes
  - Managing device preferences
  - Defining access permissions between objects
  - Remembering all the above user preferences across reboots
  - Link objects to form graph
- WirePlumber is the default session manager for PipeWire





- libwireplumber Wraps PipeWire API and provides a higher level and more convenient API
- libwireplumber is GObject based.
- WirePlumber Daemon runs on top of the API and does session management
- Wireplumber Daemon runs Modules and Lua Scripts
- Lua Scripts make it very easy to manipulate the Graph as all the libwireplumber API is available in Lua
- WirePlumber 0.5 is next major release.



# New Configuration System

# New Configuration System

- Not a scripting system (two entirely different things)
- Currently, both implemented with Lua
- Moving to SPA JSON as the new configuration system.

# Lua drawbacks (for config)

- Configs are Static
- Difficult to override
- Different from PipeWire Config System.
- Clients can't access the configs

# Moving to SPA-JSON

- PipeWire uses SPA-JSON
- Much intuitive to write, thanks to the relaxed parser
- supports split-file configuration with override support

# Features

- Configs can be Dynamic
- Easy Overrides
- Easy Extensions
- Configs can be persistent
- Clients can create and access configs at will

# Dynamic configs

- JSON is parsed and configs are copied into “sm-settings” metadata
- pw-metadata API can be used to change config
- WP Settings API – fetches the configs from metadata
  - wp\_settings\_get()
  - wp\_settings\_subscribe()

```
1 wireplumber.settings = {
2     ## Enables storing/restoring preferences to the file system at startup;
3     ## when set to false, default nodes and routes are selected based on
4     ## their priorities and any runtime changes do not persist after restart
5     device.use-persistent-storage = true
6
7     ## device default volume level
8     device.default-volume = 0.064
9
10    ## device default input volume
11    device.default-input-volume = 1.0
12
13    ## The persistent save interval in milliseconds when a change happens
14    device.save-interval-ms = 1000
15
16    ## Whether to auto-switch to echo cancel sink and source nodes or not
17    device.auto-echo-cancel = true
18
19    ## Sets the default echo-cancel-sink node name to automatically switch to
20    device.echo-cancel-sink-name = "echo-cancel-sink"
21
22    ## Sets the default echo-cancel-source node name to automatically switch to
23    device.echo-cancel-source-name = "echo-cancel-source"
24 }
25
```

# Static configs

- WP Conf – fetches the configs from JSON
- WP Conf API
  - wp\_conf\_get()
  - wp\_conf\_apply\_rules()

```
1 monitor.alsa.properties = {
2   ## The properties used when constructing the 'api.alsa.enum.udev' plugin
3 }
4
5 monitor.alsa.rules = [
6   {
7     matches = [
8       {
9         device.name = "~alsa_card.*"
10      }
11     ]
12     update-props = {
13       api.alsa.use-acp = true
14       api.acp.auto-port = false
15     }
16   }
17   # This rule example allows changing properties on all ALSA devices.
18   {
19     matches = [
20       {
21         ## This matches all cards.
22         device.name = "~alsa_card.*"
23       }
24     ]
25     update-props = {
26       ## Use ALSA-Card-Profile devices. They use UCM or the profile
27       ## configuration to configure the device and mixer settings.
28       api.alsa.use-acp = false
29     }
30     ## Use UCM instead of profile when available. Can be
31     ## disabled to skip trying to use the UCM profile.
32     api.alsa.use-ucm = false
33   }
34 ]
35 ]
```







# Event Dispatcher

# Event Dispatcher: Problem

- WirePlumber cannot
  - Prioritize between PipeWire signals
  - Prioritize between signal handlers
- Problems
  - Race conditions
  - Redundant Processing


# Event Dispatcher: what are Events?

- Convert PipeWire Signals into Events.
- Assign them a priority and push them to a stack.
- Pick and Execute highest priority event, one at a time

# Event Dispatcher: what are Hooks?

- Hooks are the new handlers for Events
- Collected for every new Event
- Sorted by priority and executed in order
- Can be Async

# Bluetooth auto switch example





# WirePlumber Scripts with Event Dispatcher

# System Scripts

- Event Dispatcher transformed Lua Scripts.
- They look and feel completely different.
- They are much more
  - Modular
  - Extensible
  - No Redundant Processing
  - No Hacks

# System Scripts: Example

policy-node.lua the main linking script is now a bunch of hooks each with a clearly defined task

Lua Source File	Event	Task
rescan.lua	rescan-for-linking	registers a hook for rescan event, which runs at lowest priority and raises a <b>select-target</b> event
find-defined-target.lua	select-target	find target from user preferences
find-default-target.lua	select-target	find target from system level defaults/settings
find-best-target.lua	select-target	find target from available targets
prepare-link.lua	select-target	prepares the selected source and target session items.
link-target.lua	select-target	links the session items.





# Miscellaneous

# Miscellaneous

- Log Enhancements
- Smart Filters
- Better component loading
- Test Enhancements
- Better libcamera Support (WIP)

# WirePlumber 0.5: Status

- All the Features are up and running.
- WirePlumber **next** is the branch.
- Please try the branch and give us feedback.
- We are likely to release 0.5 some time this year



**Thank you!**



COLLABORA

**Open First**



We are hiring  
[col.la/careers](https://col.la/careers)



COLLABORA

Open First